MODEL NUMBER: 5018



Material

[]Metal:Stainless steel . []Plastic body:Polycarbonate

Seal Classification

[]Indicative Seal []Load to Failure :>40kgs

Working Temperature []-50°C to 120°C

MODEL NUMBER: 5018




In the market we found many similar seal, the color insert is welded by ultrasound. we know the ultrasound welding is not perfect. it always has false welding. we can take the color out easily. The user lost much money.


Due to the users' concern, We made this mechanical anti-opening structure The color hooks is pressed into the transparent body. The four hooks works very strongly by eyes. Nobody can tamper it.

We got the users' approval.

MODEL NUMBER: 5018



The standard hasp wire.




MODEL NUMBER: 5018




The different hasp shapes are also a means of preventing tampering. We have the hasp wire plant. we can make any shape for the users.

MODEL NUMBER: 5018



Remove the padlock seal Ways a: Cut the hasp wire

MODEL NUMBER: 5018



Remove the padlock seal

Ways b:

Bend at the scored point on the hasp wire by hands.

(Toolless)

MODEL NUMBER: 5018

Printing

[]Print by laser engraving.
[]Print on the transparent lock housing.



A:Only print logo/number

B:Print bar code/QR code

C:Paste the label insert.

MODEL NUMBER: 5018



Package

- [] 100pcs per transparent bag
- []1000pcs perbox
- [] Net weight: 5.0kgs
- [] Gross weight: 5.5kgs [] Measure: 350*260*170mm